

SYSTEM 60


Modular canopy system



Revolutionising
Canopy procurement

Higher Quality Canopies Quicker


WELCOME TO **SYSTEM 60** THE FIRST MODULAR CANOPY SYSTEM DESIGNED TO MEET THE NEEDS OF THE GROWING CANOPY MARKET. A VERSATILE CANOPY SYSTEM OFFERING HIGH STRENGTH DESIGN, UV PROTECTION, MULTIPLE COLOUR CHOICES, EXCELLENT INSULATION PROPERTIES ALL COMBINED WITH STREAMLINE AESTHETICS AND DELIVERED TO YOUR DOOR **READY TO GO!**




- Galvanised and PPC steel frame.
- Provides areas of safe shading - filters 98% of harmful UV rays.
- Good insulation - thermal transmittance (U-value) of 2.2W/m²K.
- Impact resistant 'class B' non-fragile roofing assembly to ACR(M)001:2005
- Choice of clear and opal finishes or 7 attractive sheet colours
- Powder coated in any RAL colour
- Sheets and channels available in lengths up to 8m for long sloped areas
- Fully recyclable components with minimal environmental impact
- Glazing manufactured to UNI EN ISO 9001:2008 quality standard

Quick Installation


With its modular components and flexible design System 60 is a canopy system of unrivalled simplicity. Uprights slide over the foot, the collar and rafter supports slide into the upright, the horizontals drop into place before System 60 glazing channels are secured to the horizontals and the polycarbonate sheets with their unique groove edge simply snap down into place. The perimeter of the glazing is capped with durable finishing profiles. This unique modular design leaves the polycarbonate surface smooth, free from unsightly glazing bar caps and mechanical fixings.




- Receive your System 60 canopy delivery!



- Excavate for your foundations, cast your concrete slab bases and bolt down the System 60 feet.



- Drop on the System 60 horizontal beams, drill, self-tap fasten and cap. Drop the System 60 uprights over the feet, bolt thru and cap, drop in the System 60 collar and rafter supports, bolt thru and cap.



- Fit down the System 60 roof spars and click in the roofing sheets.




- Affix the System 60 edging trim.




- Presto! Take the plaudits from your clients.

Watch the video at: www.aandslandscape.co.uk/system60

Options & Extras



System 60 is quick, simple AND adaptable as well as being available with a host of options and extras. Different widths, lengths, heights and pitch are all possible and after that you can choose from 12 standard steel colours (any RAL colour can be arranged) and 7 roofing colours before adding guttering or post pads!



■ Coloured roofing available !



■ No restriction on canopy sizes !










■ Easy-Fit gutter System !



■ Post Pads Available !

■ Standard Steel Colours



■ Roofing Colours



Technical Information

- High impact resistance achieved with tests simulating hail and falling objects.
- Thermal transmittance U-Value: 2.2 W/m.
- Noise reduction: 20dB (DIN 52210-75 Rw).
- Non-fragility rating: Class 'B' to ACR(M)001:2005 (with 3mm channels supported at max. 3.0m centers).
- Light transmission Clear:60% Opal:41%.
- Solar Factor (G-value): Clear- 0.69 Opal- 0.55.
- Fire classification: Euroclass - EN13501-I 2006 B-s1, d0 (as UK Class 0).
- Warranty period: 10 year limited warranty covering discolouration and hailstone damage.



Fully adjustable system!

Delivery

1. Use the price list for standard sizes or send us your bespoke dimensions for pricing.
2. We will forward a full drawing with component list for confirmation.
3. We dispatch your canopy complete with everything you need other than the concrete!



Photo's, Video, Order Forms and Prices are available at: www.aandslandscape.co.uk/system60

Tel: 01939 250066



System 60 is part of the Motiva range of canopies. Motiva is a trading name of A&S Landscape Alpine House, Drayton Road, Shawbury, Shropshire SY4 4NZ
T: 01939 250066 F: 01939 252122 E: sales@aandslandscape.com W: www.aandslandscape.co.uk

